

LIGHT RING

DESIGN MASSIMO CASTAGNA

Certified product:



STRUCTURE

Dimmable pendant led lamp (energy efficiency index A), energy saving with warm light, in several compositions made up of metal rings. Handmade, available in different sizes and types of light emission; transformers inserted in the ceiling rosette, rings powered with low voltage through suspension wires. Available with extra warm light 2700K (without extra costs). Only for indoor use. Dimmable push button. Other dimming systems available upon request.

FINISHES

Black burnished steel, burnished Platino, burnished Titanio, burnished brass, black burnished brass, H-Silver or H-Silver black.

HENGE

TECHNICAL DATA

3 RING COMPOSITION (from top to bottom)

1 x Ø 60 cm ring with upward pointing led
2 x Ø 70 cm rings with central pointing led
3 x Ø 50 cm rings with downward pointing led

Minimum overall height 90 cm
3000K

4 RING COMPOSITION (from top to bottom)

1 x Ø 60 cm ring with upward pointing led
2 x Ø 100 cm rings with or without upward pointing led
3 x Ø 70 cm rings with central pointing led
4 x Ø 50 cm rings with downward pointing led

Minimum overall height 120 cm
3000K

8 RING COMPOSITION (from top to bottom)

1 X Ø 70 cm ring with central pointing led
2 X Ø 60 cm ring with upward pointing led
3 X Ø 100 cm ring with or without upward pointing led
4 X Ø 70 cm ring with central pointing led
5 X Ø 60 cm ring with upward pointing led
6 X Ø 100 cm ring with or without upward pointing led
7 X Ø 60 cm ring with upward pointing led
8 X Ø 50 cm ring with downward pointing led





Minimum overall height 280 cm
3000K

12 RING COMPOSITION (from top to bottom)

1 X Ø 70 cm ring with central pointing led
2 X Ø 100 cm ring with downward pointing led
3 X Ø 70 cm ring with central pointing led
4 X Ø 60 cm ring with downward pointing led
5 X Ø 100 cm ring with upward pointing led
6 X Ø 70 cm ring with central pointing led
7 X Ø 60 cm ring with upward pointing led
8 X Ø 100 cm ring with downward pointing led
9 X Ø 60 cm ring with downward pointing led
10 X Ø 70 cm ring with central pointing led
11 X Ø 60 cm ring with upward pointing led
12 X Ø 50 cm ring with downward pointing led

Minimum overall height 400 cm
(steel suspension wires)
3000K

TECHNICAL DRAWINGS



CARE AND MAINTENANCE OF METALS

Avoid leaving household liquids (oil, red wine, vinegar, etc.) on the surface. In particular, products that contain citric acid (present for example in fruit, citrus fruit and tomatoes) act on contact with the treated surface, removing its original sheen. Always clean stains while they are still fresh. For routine maintenance use a microfiber cloth and water. Do not use products containing acids, limescale removing substances or alcohol.

LIGHT RING - XXL SLIM

DESIGN MASSIMO CASTAGNA

Certified product:



STRUCTURE

Dimmable pendant led lamp (energy efficiency index A), energy saving with warm light, in several compositions made up of metal rings. Handmade, available in different sizes and types of light emission; transformers inserted in the ceiling rosette, rings powered with low voltage through suspension wires. Available with extra warm light 2700K (without extra costs). Only for indoor use. Dimmable push button. Other dimming systems available upon request.

FINISHES

Black burnished steel, burnished Platino, burnished Titanio, burnished brass, black burnished brass, H-Silver or H-Silver black.

HENGE

TECHNICAL DATA


7 RING COMPOSITION

(from top to bottom)

- 1 X Ø 60 cm ring with upward pointing led
- 2 X Ø 50 cm ring with downward pointing led
- 3 X Ø 70 cm ring with central pointing led
- 4 X Ø 60 cm ring with upward pointing led
- 5 X Ø 50 cm ring with downward pointing led
- 6 X Ø 70 cm ring with central pointing led
- 7 X Ø 40 cm ring with downward pointing led

Minimum overall height 220 cm
3000K

TECHNICAL DRAWING



CARE AND MAINTENANCE OF METALS

Avoid leaving household liquids (oil, red wine, vinegar, etc.) on the surface. In particular, products that contain citric acid (present for example in fruit, citrus fruit and tomatoes) act on contact with the treated surface, removing its original sheen. Always clean stains while they are still fresh. For routine maintenance use a microfiber cloth and water. Do not use products containing acids, limescale removing substances or alcohol.