





The sizes are expressed in millimeters / inches.

DESIGN MICHELE GROPPI - 2022
WALL LAMP - METAL - MIRROR


REFLEX




1A0850403.27.40	STANDARD - 2700K - ENDLESS	48 V DC - 23 W LED
1A0850403.30.40	STANDARD - 3000K - ENDLESS	2700K - 2158 lm - CRI > 90 / 3000K - 2320 lm - CRI > 90
		MIRROR TOP (DOWN) WITH BLACK BACK SIDE (UP)
		COMPULSORY ENDLESS POWER SUPPLY KIT NOT INCLUDED




POWER SUPPLY KIT WITH PLUG





WALL AND CEILING ROSE KIT





REMOTE POWER SUPPLY KIT







1A3470300.00.00	MATT WHITE - 5 m / 196.85"	ENDLESS - MAX 150 W - MAX 48 V DC - MAX 4 A	
1A3470400.00.00	MATT BLACK - 5 m / 196.85"		
1A0050300.00.00	MATT WHITE - 10 m / 393.70"		
1A0050400.00.00	MATT BLACK - 10 m / 393.70"		
1A0370000.00.00	STANDARD	FIXING ROUGH WALLS KIT - 2,5 m / 98.42"	
1A3480300.00.00	MATT WHITE	TERMINAL BOX WITH 2 TERMINALS INCLUDED	
1A3480400.00.00	MATT BLACK		
1A0030300.00.00	MATT WHITE	POWER BASE FOR INSTALLATION WITH PLUG KIT	
1A0030400.00.00	MATT BLACK		
1A0810303.00.00	MATT WHITE	POWER BASE FOR INSTALLATION WITH REMOTE KIT	
1A0810403.00.00	MATT BLACK		
1A3490000.00.00	STANDARD	TERMINALS - 2 PIECES	




COMPULSORY POWER SUPPLY KIT FOR ENDLESS ON/OFF SYSTEM AND CASAMBI

1A1330303.00.00	MATT WHITE - ON/OFF	POWER SUPPLY KIT WITH PLUG INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 60 W - IP20	
1A1330403.00.00	MATT BLACK - ON/OFF		

1A2450303.00.00	MATT WHITE - ON/OFF	WALL - CEILING ROSE KIT - REMOTE INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 60 W - IP20	
1A2450403.00.00	MATT BLACK - ON/OFF		



1A0260303.00.00	MATT WHITE - ON/OFF	POWER SUPPLY KIT WITH PLUG INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W - IP20	
1A0260403.00.00	MATT BLACK - ON/OFF		

1A1020303.00.00	MATT WHITE - ON/OFF	WALL - CEILING ROSE KIT - REMOTE INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W - IP20	
1A1020403.00.00	MATT BLACK - ON/OFF		



WALL AND CEILING ROSE KIT

REMOTE POWER SUPPLY KIT



COMPULSORY POWER SUPPLY KIT FOR ENDLESS DIMMABLE SYSTEM

1A1340303.00.06	MATT WHITE	POWER SUPPLY KIT WITH PLUG - DIMMER INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 60 W - IP20	
1A1340403.00.06	MATT BLACK		

1A4090303.00.07	MATT WHITE - DIM	WALL - CEILING ROSE KIT INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 60 W - IP20 DALI - PUSH - 0/1-10 V DIMMABLE	
1A4090403.00.07	MATT BLACK - DIM		

1A1800303.00.06	MATT WHITE	POWER SUPPLY KIT WITH PLUG - DIMMER INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W - IP20	
1A1800403.00.06	MATT BLACK		

1A1810303.00.07	MATT WHITE - DIM	WALL - CEILING ROSE KIT INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W - IP20 DALI - PUSH - 0/1-10 V DIMMABLE	
1A1810403.00.07	MATT BLACK - DIM		

COMPULSORY POWER SUPPLY KIT FOR ENDLESS DIMMABLE SYSTEM

1Z1120600	STANDARD	REMOTE DRIVER INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 60 W - IP20 1-10 V DIMMABLE	

1Z1120290	STANDARD - ON/OFF	REMOTE DRIVER INPUT 120 V - 60 Hz - OUTPUT 48 V DC - 90 W - IP20	

1Z2170020	STANDARD	CONTROLLER DALI - PUSH - 1-10 V - IP20	



Light is free




POWER KIT:

1A133XX03.00.00	POWER SUPPLY KIT WITH PLUG - 48 V - NOT DIMMABLE	60	MAX 1,25
1A245XX03.00.00	WALL CEILING ROSE KIT - REMOTE - 48 V - NOT DIMMABLE	60	MAX 1,25
1A134XX03.00.06	POWER SUPPLY KIT WITH PLUG - 48 V - DIMMABLE	60	MAX 1,25
1A409XX03.00.07	WALL CEILING ROSE KIT - 48 V - DALI - PUSH - 0/1-10 V DIMMABLE	60	MAX 1,25
1Z1120600	REMOTE DRIVER - 48 V - 1/10 V DIMMABLE	60	MAX 1,25
1Z1120290	REMOTE DRIVER - 48 V - NOT DIMMABLE	60	MAX 1,25
1A026XX03.00.00	POWER SUPPLY KIT WITH PLUG - 48 V - NOT DIMMABLE	90	MAX 1,875
1A102XX03.00.00	WALL CEILING ROSE KIT - REMOTE - 48 V - NOT DIMMABLE	90	MAX 1,875
1A180XX03.00.06	POWER SUPPLY KIT WITH PLUG - 48 V - DIMMABLE	90	MAX 1,875
1A181XX03.00.07	WALL CEILING ROSE KIT - 48 V - DALI - PUSH - 0/1-10 V DIMMABLE	90	MAX 1,875


ELEMENTS:

1A1080303.00.40	SPOT - MATT WHITE - ENDLESS	13	0,34
1A1080403.00.40	SPOT - MATT BLACK - ENDLESS	13	0,34
1A1080303.00.41	SPOT - MATT WHITE - ENDLESS - CASAMBI	15,5	0,4
1A1080403.00.41	SPOT - MATT BLACK - ENDLESS - CASAMBI	15,5	0,4
1A2340303.27.40	DOT P - MATT WHITE - 2700K - ENDLESS	13	0,34
1A2340303.30.40	DOT P - MATT WHITE - 3000K - ENDLESS	13	0,34
1A2340403.27.40	DOT P - MATT BLACK - 2700K - ENDLESS	13	0,34
1A2340403.30.40	DOT P - MATT BLACK - 3000K - ENDLESS	13	0,34
1A2340303.27.41	DOT P - MATT WHITE - 2700K - ENDLESS - CASAMBI	15,5	0,4
1A2340303.30.41	DOT P - MATT WHITE - 3000K - ENDLESS - CASAMBI	15,5	0,4
1A2340403.27.41	DOT P - MATT BLACK - 2700K - ENDLESS - CASAMBI	15,5	0,4
1A2340403.30.41	DOT P - MATT BLACK - 3000K - ENDLESS - CASAMBI	15,5	0,4
1A2280303.27.40	MIRA - MATT WHITE - 2700K - ENDLESS	6	0,16
1A2280303.30.40	MIRA - MATT WHITE - 3000K - ENDLESS	6	0,16
1A2280403.27.40	MIRA - MATT BLACK - 2700K - ENDLESS	6	0,16
1A2280403.30.40	MIRA - MATT BLACK - 3000K - ENDLESS	6	0,16
1A2280303.27.41	MIRA - MATT WHITE - 2700K - ENDLESS - CASAMBI	8,5	0,22
1A2280303.30.41	MIRA - MATT WHITE - 3000K - ENDLESS - CASAMBI	8,5	0,22
1A2280403.27.41	MIRA - MATT BLACK - 2700K - ENDLESS - CASAMBI	8,5	0,22
1A2280403.30.41	MIRA - MATT BLACK - 3000K - ENDLESS - CASAMBI	8,5	0,22
1A2960303.27.40	MISS - MATT WHITE - 2700K - ENDLESS	5,5	0,14
1A2960303.30.40	MISS - MATT WHITE - 3000K - ENDLESS	5,5	0,14
1A2960403.27.40	MISS - MATT BLACK - 2700K - ENDLESS	5,5	0,14
1A2960403.30.40	MISS - MATT BLACK - 3000K - ENDLESS	5,5	0,14
1A2960803.27.40	MISS - BRUSHED BRASS - 2700K - ENDLESS	5,5	0,14
1A2960803.30.40	MISS - BRUSHED BRASS - 3000K - ENDLESS	5,5	0,14
1A2962603.27.40	MISS - MATT TOTAL BLACK - 2700K - ENDLESS	5,5	0,14
1A2962603.30.40	MISS - MATT TOTAL BLACK - 3000K - ENDLESS	5,5	0,14
1A2980303.27.40	CATHODE - MATT WHITE - 2700K	5,5	0,14
1A2980303.30.40	CATHODE - MATT WHITE - 3000K	5,5	0,14
1A2980803.27.40	CATHODE - BRUSHED BRASS - 2700K	5,5	0,14
1A2980803.30.40	CATHODE - BRUSHED BRASS - 3000K	5,5	0,14
1A0850403.27.40	REFLEX - 2700K - ENDLESS	23	0,57
1A0850403.30.40	REFLEX - 3000K - ENDLESS	23	0,57


MIRA ENDLESS




DOT P ENDLESS



SPOT ENDLESS



REFLEX



MISS ENDLESS



CATHODE ENDLESS

