



SuperWire S3

Designed by Formafantasma, 2025

90W - 6450lm - 2700K - CRI> 90

SuperWire is the first family of modular lamps designed by Formafantasma for Flos. A magical and poetic project, with an essential design but a great stage presence, which recalls the work of the great glass masters of the last century. Made of planar glass and polished aluminum, its design originated from the development of a custom-made light source that emits a warm and homogeneous light. Made up of one or more hexagons of planar glass connected by a polished aluminum element, SuperWire lights up its entire surface thanks to a new source: a very thin, flat, soft, flexible LED strip measuring up to one meter, which emits a warm and homogeneous light along its entire length and which can be easily removed for replacement and repair, unique in the panorama of LED bulb-less lamps. Suspension models feature a concealed downlight module for functional accent lighting on tables, complemented by the warm, diffuse glow of the vertical modules.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607073698
Mounting	Suspension
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	Filament LED
Power (W)	90
Lumen Output (lm)	6450

Physical

Colour	Steel
Length (mm)	295
Cord length (mm)	3000
Canopy length/diameter (mm)	216
Canopy width (mm)	216
Canopy height (mm)	47
Net weight (kg)	22
Package volume (m3)	0.33
IP internal	20



Download

Mounting instructions

, ✓ PDF

Photometric Files

ULD

J. ULD

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class **E**



Replaceable (LED only) light source by an end-user



Replaceable control gear by an end-user

https://professional.flos.com/en/global/product/superwire-s3-d301s31c3eaf2/

D301S31C3EAF2











Photometric

Lighting type	Total
Light distribution	Asymmetric
CCT (K)	2700
CRI>	90
Extreme cut off	No

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Power supply	Remote included
Dimmable	Yes
Power supply type	Dimmable
Dimming interface	Dimmer Integrated



00. Led dimmer kit

RE3/107

https://professional.flos.com/en/global/product/superwire-s3-d301s31c3eaf2/

D301S31C3EAF2



RF34197

Led dimmer kit