

Suspension luminaire with direct and indirect light, for indoor use.

Light and transparency are the true stars of this project. We have always liked to think heretically, evoking mystery, magic and seduction. With indirect light, the SIDE module exploits the effect of the convex lens to conceal the light beam. With direct light, the DOWN module is the ideal solution for bringing light to tables and sideboards. The modules can be used in combination.

Apparecchio di illuminazione a sospensione, a luce diretta e indiretta, per interni.

La luce e la trasparenza sono le vere protagoniste di questo progetto. Da sempre ci piace pensare in modo eretico, evocando mistero, magia e seduzione. Il modulo SIDE, a luce indiretta, sfrutta l'effetto della lente convessa per celare la parte di emissione della luce. Il modulo DOWN, a luce diretta, è la soluzione ideale per portare la luce su tavoli e sideboard. È possibile l'utilizzo combinato dei moduli.

The roses available are in textured matt black or matt white painted steel. The body is in transparent methacrylate for the SIDE version and in transparent glass for the DOWN version. The power heads are in polished black chrome or polished gold galvanised aluminium. The SIDE version is adjustable along the longitudinal axis, while the DOWN version is fixed. The height of the luminaire can be adjusted.

I rosoni disponibili sono in acciaio verniciati bianco opaco o nero opaco texturizzato. Il corpo è in metacrilato trasparente per la versione SIDE e in vetro trasparente per la versione DOWN. Le teste di alimentazione sono in alluminio galvanizzato oro lucido o cromo nero lucido. La versione SIDE è orientabile lungo l'asse longitudinale mentre la versione DOWN è fissa. È possibile regolare l'altezza di posizionamento del corpo illuminante.

The light sources are LED with integrated module. The unipolar cables are in galvanised steel and silver-copper. A range of roses and power supplies are available.

Le sorgenti luminose sono a LED e a modulo integrato. I cavi elettrici unipolari sono in acciaio zincato e rame argentato. Sono disponibili vari rosoni e sistemi di alimentazione.


Finish

.19 Polished Gold


.28 Polished Black Chrome




MAGIA DOWN




MAGIA DOWN
Single installation with ceiling rose with driver




MAGIA DOWN
Single installation with ceiling or recessed rose without driver




MAGIA SIDE




MAGIA SIDE
Single installation with ceiling rose with driver




MAGIA SIDE
Single installation with ceiling or recessed rose without driver




MAGIA SIDE
Multiple installation with ceiling rose with driver




MAGIA SIDE
Multiple installation with ceiling or recessed rose without driver




MAGIA SIDE + MAGIA DOWN
Multiple installation with ceiling rose with driver



MAGIA SIDE + MAGIA DOWN
Multiple installation with ceiling or recessed rose without driver




**MAGIA SIDE**

21W
24V DC
2700K - 1290lm / 3000K - 1358lm
CRI >90

Driver not included



Polished Gold - 2700K	1A5761900.27.20
Polished Gold - 3000K	1A5761900.30.20
Polished Black Chrome - 2700K	1A5762800.27.20
Polished Black Chrome - 3000K	1A5762800.30.20

**MAGIA DOWN**

21W
24V DC
2700K - 1290lm / 3000K - 1358lm
CRI >90

Driver not included



Polished Gold - 2700K	1A5771900.27.20
Polished Gold - 3000K	1A5771900.30.20
Polished Black Chrome - 2700K	1A5772800.27.20
Polished Black Chrome - 3000K	1A5772800.30.20

Compulsory accessories / Accessori obbligatori

Installation kits / Kit d'installazione


**Wire guide / Guidacavo**

Matt Black	1 Piece	1X0020400.01.00	Not included
------------	---------	-----------------	--------------

**Unipolar wire - 6 m / Cavo unipolare - 6 m**

1 Piece - Max 60V DC	Max 3 modules	1A4730000.00.00	Not included
----------------------	---------------	-----------------	--------------


Suspension kits / Kit di sospensione

**Ceiling rose with driver / Rosone con alimentatore**

Matt White	Input 220-240V - 50/60Hz Output 24V - Max 21W - IP20 DALI - PUSH - 1-10V - TRIAC	Max 1 module	1A4780300.00.05	Not included
------------	--	--------------	-----------------	--------------

Compulsory accessories / Accessori obbligatori

Suspension kits / Kit di sospensione

**Ceiling rose with driver / Rosone con alimentatore**

Matt White	Input 120-240V - 50/60Hz Output 24V - Max 3x21W - IP20 DALI - PUSH - 1-10V - TRIAC	Max 3 modules	1A4740300.00.05	Not included
------------	--	---------------	-----------------	--------------


**Ceiling rose without driver / Rosone senza alimentatore**

Matt White	For electrical cables - 1 Piece		1X0010300.02.00	Not included
Matt Black	For electrical cables - 1 Piece		1X0010400.02.00	


**Recessed rose without driver / Rosone da incasso senza alimentatore**

Matt White	For electrical cables - 1 Piece Plasterboard cut-out Ø 44 mm Minimum space for mounting 70 mm For 12,5 mm plasterboard		1X0000300.02.00	Not included
Matt Black	For electrical cables - 1 Piece Plasterboard cut-out Ø 44 mm Minimum space for mounting 70 mm For 12,5 mm plasterboard		1X0000400.02.00	


Drivers / Alimentatori

**Driver / Alimentatore**


100-240V	24V/50W/IP20/ON/OFF	Max 1 module	1Z1120490	Not included
----------	---------------------	--------------	-----------	--------------

**Driver / Alimentatore**

100-240V	24V/80W/IP20/ON/OFF	Max 3 modules	1Z1120440	Not included
----------	---------------------	---------------	-----------	--------------


**Driver / Alimentatore**

100-240V	24V/150W/IP67/1-10V	Max 6 modules	1Z1120500	Not included
----------	---------------------	---------------	-----------	--------------


**Controller**

	DALI - PUSH - 0/1-10V - TRIAC - IP20		1Z2170010	Not included
--	--------------------------------------	--	-----------	--------------







Example of single installation with ceiling rose with driver




Example of multiple installation with ceiling rose with driver




Example of single installation with recessed rose without driver




Example of multiple installation with recessed rose without driver



Example of single installation with ceiling rose without driver



Example of multiple installation with ceiling rose without driver




Example of multiple installation | Max 3 modules for cable


SUSPENSION GUIDELINE / GUIDA PER LE SOSPENSIONI

SUSPENSION LUMINAIRE
code 1AXXXXXXXXXX20

CEILING



OR




CEILING ROSE
WITH DRIVER

OR





CEILING ROSE
WITHOUT DRIVER

+




REMOTE
DRIVER



RECESSED



OR




OR




RECESSED ROSE
WITHOUT DRIVER

+




REMOTE
DRIVER



SUSPENSION KITS / KIT DI SOSPENSIONE

CEILING SUSPENSION KITS

Version	Use	Product reference	Finish	Code
Ceiling rose with driver*				
		See product page.		
Ceiling rose without driver				
Ceiling rose without driver 01	For suspension cables	SOTTILE SOTTILE SISTEMA	Matt White Matt Black	1X0010300.01.00 1X0010400.01.00
Ceiling rose without driver 02	For electrical cables	MAGIA	Matt White Matt Black	1X0010300.02.00 1X0010400.02.00
Ceiling rose without driver 03	For suspension cables	MASAI REFLEX S	Matt White Matt Black	1X0010300.03.00 1X0010400.03.00
Ceiling rose without driver 04	For electrical cables	ASINTOTO REFLEX S SOTTILE SOTTILE SISTEMA	Matt White Matt Black	1X0010300.04.00 1X0010400.04.00
Ceiling rose without driver 05	For electrical cables	CARTESIO LOUIS XIV SOTTOSOPRA	Matt White Matt Black	1X0010300.05.00 1X0010400.05.00
Ceiling rose without driver 06	For electrical cables	CATHODE MISS OVO / OVONELPIATTO	Matt White Matt Black	1X0010300.06.00 1X0010400.06.00
Ceiling rose without driver 07	For electrical cables	taO	Matt White Matt Black	1X0010300.07.00 1X0010400.07.00

RECESSED SUSPENSION KITS

Version	Use	Product reference	Finish	Code
Recessed rose without driver				
Recessed rose without driver 01	For suspension cables	SOTTILE SOTTILE SISTEMA	Matt White Matt Black	1X0000300.01.00 1X0000400.01.00
Recessed rose without driver 02	For electrical cables	MAGIA	Matt White Matt Black	1X0000300.02.00 1X0000400.02.00
Recessed rose without driver 03	For suspension cables	MASAI REFLEX S	Matt White Matt Black	1X0000300.03.00 1X0000400.03.00
Recessed rose without driver 04	For electrical cables	ASINTOTO REFLEX S SOTTILE SOTTILE SISTEMA	Matt White Matt Black	1X0000300.04.00 1X0000400.04.00
Recessed rose without driver 05	For electrical cables	CARTESIO LOUIS XIV SOTTOSOPRA	Matt White Matt Black	1X0000300.05.00 1X0000400.05.00
Recessed rose without driver 06	For electrical cables	CATHODE MISS OVO / OVONELPIATTO	Matt White Matt Black	1X0000300.06.00 1X0000400.06.00
Recessed rose without driver 08	For electrical cables	taO	Matt White Matt Black	1X0000300.08.00 1X0000400.08.00
Recessed rose without driver*		CATHODE MISS OVO / OVONELPIATTO	Matt White Matt Black	1X0230300.04.00 1X0230400.04.00
Recessed rose without driver*		SIMBIOSI	Matt White Matt Black	1X0220300.03.00 1X0220400.03.00

