

Suspension luminaire with direct light for indoor use.

ta0 is a suspended black body, free to exist wherever you wish. Challenging gravity, it seems to float, deconstructing the visual balance of its weight. The thin power cable becomes a graphic feature that crosses space lightly, an instrument that becomes an idea.

Apparecchio di illuminazione a sospensione, a luce diretta, per interni.

ta0 è un corpo nero sospeso, libero di esistere dove lo si desidera. Sfida la gravità, sembra galleggiare e scompone l'equilibrio visivo della massa. Il suo sottile cavo di alimentazione diventa un segno grafico che attraversa lo spazio con leggerezza e da strumento si trasforma in idea.

The roses available are in textured matt black or matt white painted steel. The spotlight is in textured matt black painted aluminium. The suspension cable is in AISI 304 stainless steel. A range of light control accessories is available.

I rosoni disponibili sono in acciaio verniciati bianco opaco o nero opaco texturizzato. Il proiettore è in alluminio verniciato nero opaco texturizzato. Il cavo di sospensione è in AISI 304. Sono disponibili diversi accessori per il controllo della luce.

The light source is LED with integrated module. The electric cable is coaxial and matt black. A range of roses and power supplies are available.


La sorgente luminosa è a LED e a modulo integrato. Il cavo elettrico è coassiale e di colore nero opaco. Sono disponibili vari rosoni e sistemi di alimentazione.

Finish

.04 Matt Black



Custom finish available on request.
Finitura personalizzata su richiesta.




taO
 Max 16,7W
 Max 500mA DC
 2700K - 1859lm / 3000K - 1943lm
 CRI >90
 Beam 22°
 CE IP20

Matt Black - 2700K	1A6110400.27.20
Matt Black - 3000K	1A6110400.30.20

Compulsory accessories / Accessori obbligatori

Suspension kits / Kit di sospensione



Wall/ceiling rose with driver / Rosone da parete/soffitto con alimentatore		Not included
Matt White	Input 110-240V - 50/60Hz Output 500mA DC - Max 16,7W IP20 - DALI - PUSH - 1-10V	1X0180300.04.07
Matt Black	Input 110-240V - 50/60Hz Output 500mA DC - Max 16,7W IP20 - DALI - PUSH - 1-10V	1X0180400.04.07
Matt White	Input 220-240V - 50/60Hz Output 500mA DC - Max 16,7W IP20 - TRIAC/IGBT	1X0180300.04.02
Matt Black	Input 220-240V - 50/60Hz Output 500mA DC - Max 16,7W IP20 - TRIAC/IGBT	1X0180400.04.02



Ceiling rose without driver / Rosone senza alimentatore		Not included
Matt White	For electrical cables - 1 Piece	1X0010300.07.00
Matt Black	For electrical cables - 1 Piece	1X0010400.07.00




Recessed rose without driver / Rosone da incasso senza alimentatore		Not included
Matt White	For electrical cables - 1 Piece Plasterboard cut-out Ø 44 mm Minimum space for mounting 70 mm For 12,5 mm plasterboard	1X0000300.08.00
Matt Black	For electrical cables - 1 Piece Plasterboard cut-out Ø 44 mm Minimum space for mounting 70 mm For 12,5 mm plasterboard	1X0000400.08.00


The sizes are expressed in millimeters.

Compulsory accessories / Accessori obbligatori

Drivers / Alimentatori



Driver / Alimentatore			Not included
220-240V	500mA/20W/IP20/TRIAC/IGBT	1Z0240850.500	




Driver / Alimentatore			Not included
220-240V(110-127V)	500mA/25W(13,5W)/IP20/DALI - PUSH - 1-10V	1Z0241270.500	

Optional accessories / Accessori opzionali

Other accessories / Altri accessori




Soft filter / Filtro soft		Not included
Standard		1X0190000.03.00




Louvre 1 / Frangiluce 1		Not included
Matt Black		1X0190400.10.00




Louvre 2 / Frangiluce 2		Not included
Matt Black		1X0190400.11.00




Parabola		Not included
Matt Black		1X0190400.08.00



Snoot		Not included
Matt Black		1X0190400.09.00



Louvre 3 / Frangiluce 3		Not included
Matt Black	For Parabola - Snoot	1X0190400.12.00




Louvre 4 / Frangiluce 4		Not included
Matt Black	For Parabola - Snoot	1X0190400.13.00


SUSPENSION GUIDELINE / GUIDA PER LE SOSPENSIONI

SUSPENSION LUMINAIRE
code 1AXXXXXXXXXX20

CEILING



OR




CEILING ROSE
WITH DRIVER

OR





CEILING ROSE
WITHOUT DRIVER

+




REMOTE
DRIVER



RECESSED



OR




OR




RECESSED ROSE
WITHOUT DRIVER

+




REMOTE
DRIVER



SUSPENSION KITS / KIT DI SOSPENSIONE

CEILING SUSPENSION KITS

Version	Use	Product reference	Finish	Code
Ceiling rose with driver*				
		See product page.		
Ceiling rose without driver				
Ceiling rose without driver 01	For suspension cables	SOTTILE SOTTILE SISTEMA	Matt White Matt Black	1X0010300.01.00 1X0010400.01.00
Ceiling rose without driver 02	For electrical cables	MAGIA	Matt White Matt Black	1X0010300.02.00 1X0010400.02.00
Ceiling rose without driver 03	For suspension cables	MASAI REFLEX S	Matt White Matt Black	1X0010300.03.00 1X0010400.03.00
Ceiling rose without driver 04	For electrical cables	ASINTOTO REFLEX S SOTTILE SOTTILE SISTEMA	Matt White Matt Black	1X0010300.04.00 1X0010400.04.00
Ceiling rose without driver 05	For electrical cables	CARTESIO LOUIS XIV SOTTOSOPRA	Matt White Matt Black	1X0010300.05.00 1X0010400.05.00
Ceiling rose without driver 06	For electrical cables	CATHODE MISS OVO / OVONELPIATTO	Matt White Matt Black	1X0010300.06.00 1X0010400.06.00
Ceiling rose without driver 07	For electrical cables	taO	Matt White Matt Black	1X0010300.07.00 1X0010400.07.00

RECESSED SUSPENSION KITS

Version	Use	Product reference	Finish	Code
Recessed rose without driver				
Recessed rose without driver 01	For suspension cables	SOTTILE SOTTILE SISTEMA	Matt White Matt Black	1X0000300.01.00 1X0000400.01.00
Recessed rose without driver 02	For electrical cables	MAGIA	Matt White Matt Black	1X0000300.02.00 1X0000400.02.00
Recessed rose without driver 03	For suspension cables	MASAI REFLEX S	Matt White Matt Black	1X0000300.03.00 1X0000400.03.00
Recessed rose without driver 04	For electrical cables	ASINTOTO REFLEX S SOTTILE SOTTILE SISTEMA	Matt White Matt Black	1X0000300.04.00 1X0000400.04.00
Recessed rose without driver 05	For electrical cables	CARTESIO LOUIS XIV SOTTOSOPRA	Matt White Matt Black	1X0000300.05.00 1X0000400.05.00
Recessed rose without driver 06	For electrical cables	CATHODE MISS OVO / OVONELPIATTO	Matt White Matt Black	1X0000300.06.00 1X0000400.06.00
Recessed rose without driver 08	For electrical cables	taO	Matt White Matt Black	1X0000300.08.00 1X0000400.08.00
Recessed rose without driver*		CATHODE MISS OVO / OVONELPIATTO	Matt White Matt Black	1X0230300.04.00 1X0230400.04.00
Recessed rose without driver*		SIMBIOSI	Matt White Matt Black	1X0220300.03.00 1X0220400.03.00

